

NasCam Network Video Recorder



The 16-channel IP recorder enables the operation of monitoring systems based on 16 IP cameras with a resolution of up to 8 MP. The device can save the recorded image on a SATA disk with a capacity of up to 8TB. The recorder does not require the installation of additional plugins. Management is done via a web browser. **NASCAM** is the next generation IP recorder.

The recorder is dedicated to home and small business monitoring

Camera input	Max 16 channels
Video output	HDMI/VGA output resolution
Decoding format	H.264+/H.264
Supported resolutions	64 @ 4000 x 3000 px, 64 @ 3840 x 2160 px, 64 @ 3072 x 2048 px, 64 @ 2592 x 1944 px, 64 @ 2560 x 1440 px, 64 @ 2048 x 1536 px, 64 @ 1920 x 1080 px, 64 @ 1280 x 720 px,
Network protocols	HTTP, TCP/IP, IPv4/IPv6, UPNP, RTSP, UDP, SMTP, NTP, DHCP, DNS, IP Filter, VPN, DDNS, FTP ONVIF 2.4
Hard disk	1 SATA interface
Power	65 W worldwide auto-sensing, 100-240 V AC, 50-60 Hz energy-saving automatic power-down, surge-tolerant
Ports	2 x USB 3.0 6 x USB 2.0 (4x external, 2x internal) 1 x 1/8" (3.5 mm) headphone jack 1 x 1/8" (3.5 mm) mic-in jack 1 x audio-in jack 1 x RJ-45 2 x PS/2 2 x DisplayPort 1.2
Network	10/100/1000 GbE
Dimensions	8.7 x 1.6 x 9.5" / 22.1 x 4.1 x 24.1 cm
Weight	3.00 lb / 1.36 kg
Mouse/ Keyboard	YES
Login Credentials	admin/Nascam1234

NASCAM NVR:

Lifetime Update

Enhanced cybersecurity

Reliable LINUX

User-friendly interface

Flexible access

Autodiscover

Model: 22/HT620/S/16C/1T 22/HT620/S/8C/1T